

HEADLAND MAGNUS

An inorganic fertiliser containing magnesium and sulphur for foliar application

Uses: Headland MagnuS is a liquid foliar fertiliser for application to agricultural crops to provide additional magnesium and sulphur during periods of peak demand.

Rates: 1 – 5 litres per hectare

Packs per

Pallet: 36 x 2 x 10 litres

Formulation: Headland MagnuS is a liquid suspension concentrate formulation of magnesium and sulphur for foliar application to agricultural crops.

Analysis:

Magnesium: 480 g/l (29.8% w/w) as MgO

Sulphur: 360 g/l (22.3% w/w) as S

Application

Rates and

Timings:

Cereals:

Apply 1 - 3 litres/ha from when the crop has 3 leaves and repeat if required.

Oilseed Rape:

Apply 1 - 3 litres/ha in the autumn when the crop has 6 – 8 leaves and repeat in the spring if required.

Peas and beans:

Apply 5 litres/ha when the crop is 10-15cm high and repeat after 10-14 days if required.

Sugarbeet:

Apply 2 - 4 litres/ha from the 6 leaf stage. Repeat if required before the crop leaves meet across the rows.

Potatoes:

Apply 2 – 4 litres/ha from when the haulm meets across the rows. Repeat if necessary.

Maize:

Apply 4 litres/ha when required from the 4-leaf stage. Repeat if necessary.

Leaf brassicas and other leafy vegetables:

Apply 2 litres/ha as soon as enough foliage is present to intercept the spray. Repeat if necessary.

Root brassicas and other root vegetables:

Apply 2 litres/ha as soon as enough foliage is present to intercept the spray. Repeat if necessary.

Water

Volume: Use at least 200 litres of water/ha. Increase the volume if necessary to ensure good coverage of the leaves.

Mixing and

Application: **Shake the container thoroughly before opening and use.** Half-fill the sprayer tank with clean water and begin agitation. Add the required amount of Headland MagnuS and then the rest of the water. Maintain agitation during travelling and throughout the spraying operation.

NOTE: If tank-mixing Headland MagnuS with another spray chemical, always add the partner product to the water first and make sure it is fully dispersed/dissolved **before** adding the MagnuS to the tank. Maintain agitation at all times. Do not allow the product or any tank-mix to stand idle without agitation.

Compatibility:

Headland MagnuS is compatible with many foliar-applied crop chemicals. Consult your distributor for the latest information or refer to the Headland Agrochemicals Ltd. website at www.headland-ag.co.uk

Storage: Keep in the original container, tightly closed in a suitable store away from food, drink and animal feedingstuffs, and out of reach of children. PROTECT FROM FROST. Store above 5°C. Do not store in direct sunlight or near direct sources of heat.

Safety

Precautions: The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP-3) apply to this product.

Hazard Symbol:	Irritant Xi	
Risk Phrase:	R36/38	Irritating to eyes and skin
Safety Phrases:	S2	Keep out of reach of children
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S36/37/39	Wear suitable protective clothing, suitable gloves and eye/face protection

Note: This product contains 1,2-benzisothiazolin. May cause an allergic reaction.

Transport: This product is not classified as hazardous for transport.

Date of Issue: June 2009