

HEADLAND THIO-S

A high sulphur fertiliser with nitrogen

Contains ammonium thiosulphate

Uses:	For rapid correction of sulphur deficiency in agricultural and horticultural crops.
Rates:	3-10 litres/ha – see crop recommendations below.
Packs per Pallet:	36 x 2 x 10 litres
Analysis:	Nitrogen: 11.9% w/w as ammoniacal nitrogen Sulphur: 25.5% w/w S (63.6% w/w as SO ₃).
Formulation:	Headland Thio-S is a water-soluble formulation containing ammonium thiosulphate.

Recommendations

For Use:

Cereals

Apply 3-5 litres/ha at GS30-31 and repeat at 10-14 day intervals if required. Wheats will benefit from a further application at GS55-79.

Oilseed Rape

Apply 5-10 litres/ha at stem extension and repeat at 10-14 day intervals as required. Do not apply during flowering.

Potatoes

Apply 5 litres/ha at or shortly after 100% emergence and repeat at 10-14 day intervals as required.

Sugarbeet, beans and peas

Apply 5 litres/ha at the 4-6 leaf stage and repeat at 10-14 day intervals as necessary.

Market brassicas

Apply 5 litre/ha when the crop has 4-6 leaves and repeat at 10-14 day intervals as required

Onions, leeks, carrots

Apply 5 litres/ha when the crop is 15 cms tall and repeat at 10-14 day intervals as necessary.

Maize

Apply 5 litres/ha when the crop has 4-8 leaves and repeat 14 days later.

Grass for silage

Apply 10 litres/ha 4 weeks before the first (or second) cut.

Water Volume: Use at least 200 litres of water/ha in all cases

Application: Shake the container before opening. Half-fill the spray tank with clean water, begin agitation and add the required quantity of Headland Thio-S. Add the rest of the water and apply without delay. Maintain agitation while travelling and throughout the spraying operation.

Do not apply in very bright sunlight or in temperatures above 25°C. Do not spray in the rain or if rain is imminent.

Compatibility: Headland Thio-S is physically compatible with most spray-applied agricultural chemicals. Consult the Headland Product Compatibility Guide for the latest information. Read the label of the partner product carefully before mixing with Thio-S.

Thio-S is incompatible with Headland Respond and Mycrobor DF.

Storage: Protect from frost. Store above 5°C. Do not store in direct sunlight.

Safety

Precautions: The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP3) do not apply to this product. Its use should not present a hazard in normal circumstances. Refer to the Material Safety Data Sheet or the product label for full details.

Transport: This product is not classified as hazardous for transport.