



NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 25/01/2013

Revision date: 25/04/2014

Supersedes: 18/04/2014

Version: 2.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : NEW TERBEL BRUSH KILLER
Product code : CA711569
Synonyms : Triclopyr 103,6 g/L + 2,4-D 93 g/L EC

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : Agriculture.
Pesticide
Use of the substance/mixture : Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AGRIPHAR S.A.
Rue de Renoy, 26/1
B-4102 Ougrée - Belgium
T +32 (0)4 385 97 11 - F +32 (0)4 385 97 49
info@agriphar.com - <http://www.agriphar.com>

1.4. Emergency telephone number

Emergency number : +32 (0)4 385 97 11 (8h - 16h35)
112 (European Emergency Number)

Country	Organisation/Company	Address	Emergency number
IRELAND (REPUBLIC OF)	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 2166 (public)/+353 1 837 9964 (medical professionals) +44 (0)870 190 6777
Worldwide	WHO	http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/index.html	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
Asp. Tox. 1 H304
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R65
Xi; R36/38
N; R50/53
R43

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



CLP Signal word :

Danger

Hazard statements (CLP) :

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking
P280 - Wear eye protection, face protection, protective clothing, protective gloves
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
P331 - Do NOT induce vomiting
P501 - Dispose of contents/container to an authorised waste collection point
P332+P313 - If skin irritation occurs: Get medical advice/attention

EUH phrases :

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Organic solvent		>= 50	Xn; R65 R66
Triclopyr butoxy ethyl ester	(CAS No) 64700-56-7 (EC no) 265-024-8	14,7 - 17	Xn; R22 R43 N; R50/53
2,4-D 2-EHE	(CAS No) 1928-43-4 (EC no) 217-673-3 (EC index no) 607-308-00-X	15 - 17	Xn; R22 R43 N; R50/53
anionic surfactants		>= 4	R10 Xi; R37/38 Xi; R41 R52/53 R67

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Organic solvent		>= 50	Asp. Tox. 1, H304
Triclopyr butoxy ethyl ester	(CAS No) 64700-56-7 (EC no) 265-024-8	14,7 - 17	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Chronic 1, H410 Aquatic Acute 1, H400
2,4-D 2-EHE	(CAS No) 1928-43-4 (EC no) 217-673-3 (EC index no) 607-308-00-X	15 - 17	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
anionic surfactants		>= 4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 STOT SE 3, H336 Aquatic Chronic 3, H412

Full text of R- and H-phrases: see section 16

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If medical advice is needed, have product container or label at hand.
- First-aid measures after inhalation : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of breathing difficulties administer oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration. In all cases of doubt, or when symptoms persist, seek medical advice.
- First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Immediately get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry extinguishing powder. Carbon dioxide (CO₂). Water fog.
- Unsuitable extinguishing media : High power water jet.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable.

5.3. Advice for firefighters

- Precautionary measures fire : No naked lights. No smoking.
- Firefighting instructions : Evacuate and limit access. Use water spray jet to protect personnel and to cool endangered containers.
- Protection during firefighting : Wear full chemical protective clothing. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.
- Other information : Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : When leaks or spills occur, only properly protected personnel should remain in the area.

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. In case of insufficient ventilation, wear suitable respiratory equipment.
- Emergency procedures : Evacuate area. Provide adequate ventilation to minimize dust and/or vapour concentrations. Call in an expert. Eliminate every possible source of ignition.

6.1.2. For emergency responders

- Protective equipment : Wear a self-contained breathing apparatus and chemical protective clothing.

6.2. Environmental precautions

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Prevent spreading in sewers. Impound and recover large spill by mixing it with inert granular solids.
- Methods for cleaning up : Collect spills and put it into appropriated container.
- Other information : Special danger of slipping by leaking/spilling product.

6.4. Reference to other sections

Exposure controls/personal protection. Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Handle in accordance with good industrial hygiene and safety procedures. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not allow to enter into surface water or drains.
- Handling temperature : at room temperature

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hygiene measures : Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground well. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
Storage conditions : Protect against direct sunlight.
Incompatible products : Strong acid. Strong bases. Oxidizing agents, strong.
Maximum storage period : 2 year(s)
Storage temperature : $\geq -5\text{ }^{\circ}\text{C}$
Storage area : Keep container tightly closed in a cool, well-ventilated place. Provide for retaining containers, eg. floor pan without outflow.
Packaging materials : Keep only in the original container. Keep locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

NEW TERBEL BRUSH KILLER		
Denmark	Grænseværdie (ceiling) (ppm)	Grænseværdie (ceiling) (ppm)
Denmark	Grænseværdie (ceiling) (mg/m ³)	Grænseværdie (ceiling) (mg/m ³)
2,4-D 2-EHE (1928-43-4)		
Austria	MAK (mg/m ³)	1 mg/m ³ Aerosol
Austria	MAK Short time value (mg/m ³)	4 mg/m ³ Aerosol
Belgium	Limit value (mg/m ³)	10 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	1 mg/m ³
Denmark	Grænseværdie (kortvarig) (mg/m ³)	2 mg/m ³
France	VME (mg/m ³)	10 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	1 mg/m ³ Aerosol
Germany	TRGS 900 Limitation of exposure peaks (mg/m ³)	8 mg/m ³ Aerosol
Hungary	AK-érték	1 mg/m ³
Hungary	CK-érték	4 mg/m ³
Spain	VLA-ED (mg/m ³)	10 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	20 mg/m ³
Switzerland	VME (mg/m ³)	1 mg/m ³
Switzerland	VLE (mg/m ³)	8 mg/m ³

8.2. Exposure controls

Hand protection : Wear suitable gloves resistant to chemical penetration. NBR (Nitrile rubber). For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
Eye protection : Face shield. Chemical goggles or safety glasses
Skin and body protection : Skin protection appropriate to the conditions of use should be provided
Respiratory protection : If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.



Environmental exposure controls : Notify authorities if product enters sewers or public waters.
Other information : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : clear.

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Colour	: Yellow-brown.
Odour	: Not characteristic.
Odour threshold	: No data available
pH	: 3 - 5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 57,6 °C
Auto-ignition temperature	: 242 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,913 - 0,923
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 3 mm ² /s
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

When exposed to heat, may decompose liberating hazardous gases.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions. Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Protect against direct sunlight. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

10.5. Incompatible materials

Strong acid. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

When heated to decomposition, emits dangerous fumes. Carbon dioxide (CO₂). Carbon monoxide. Nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

NEW TERBEL BRUSH KILLER	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5,65 mg/l/4h
Triclopyr butoxy ethyl ester (64700-56-7)	
LD50 oral rat	803 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 4,8 mg/l/4h (MATC)
Organic solvent	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/m ³

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2,4-D 2-EHE (1928-43-4)	
LD50 oral rat	720 - 982 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5,39 mg/l/4h

Skin corrosion/irritation	: Causes skin irritation. OECD 404 - EC n° 440/2008 B.4 pH: 3 - 5
Serious eye damage/irritation	: Causes serious eye irritation. OECD 405 - EC n° 440/2008 B.5 pH: 3 - 5
Respiratory or skin sensitisation	: May cause an allergic skin reaction. OECD 406 - EC n° 440/2008 B.6 (Albino Guinea Pig) OECD 429 - EC n° 440/2008 B.42 (LLNA)
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

NEW TERBEL BRUSH KILLER	
Viscosity, kinematic	3 mm ² /s

SECTION 12: Ecological information

12.1. Toxicity

NEW TERBEL BRUSH KILLER	
LC50 fishes 1	1,2 mg/l (92h)
EC50 Daphnia 1	0,7 mg/l (48h Daphnia magna)
ErC50 (algae)	158 mg/l (72h Selenastrum capricornutum)
ErC50 (other aquatic plants)	12,8 mg/l (Lemna Gibba)

Triclopyr butoxy ethyl ester (64700-56-7)	
LC50 fishes 1	0,31 mg/l (96h)
EC50 Daphnia 1	0,66 mg/l (48h)
ErC50 (algae)	0,193 mg/l
ErC50 (other aquatic plants)	2,2 mg/l

Organic solvent	
LC50 fishes 1	> 1000 mg/l (96h Oncorhynchus mykiss)
EC50 Daphnia 1	> 1000 mg/l (48h Daphnia magna)
ErC50 (algae)	> 1000 mg/l (72h Pseudokirchneriella subcapitata)
NOEC (acute)	1000 mg/l (72h Pseudokirchneriella subcapitata)
NOEC (chronic)	1,22 mg/l (21d Daphnia magna)

2,4-D 2-EHE (1928-43-4)	
LC50 fishes 1	> 1,9 mg/l (96h Menidia beryllina)
EC50 Daphnia 1	> 1,91 mg/l (96h Daphnia magna)
ErC50 (algae)	0,23 mg/l (120d Skeletonema constatum)
ErC50 (other aquatic plants)	0,5 mg/l (14d Lemna Gibba)

12.2. Persistence and degradability

Organic solvent	
Persistence and degradability	Easily biodegradable (concerning to the criteria of the OECD).
Biodegradation	69 % (28d OECD 301F)

12.3. Bioaccumulative potential

Triclopyr butoxy ethyl ester (64700-56-7)	
BCF fish 1	110
Log Pow	4,31 - 4,75 (5<pH<9)

Organic solvent	
Log Pow	not applicable

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2,4-D 2-EHE (1928-43-4)	
BCF fish 1	Not required
Log Pow	5,78 (25°C)

12.4. Mobility in soil

NEW TERBEL BRUSH KILLER	
Surface tension	28,4 mN/m

Organic solvent	
Mobility in soil	Low.
Surface tension	0,0257 N/m (25°C; EN 14370)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available











SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of this material and its container to hazardous or special waste collection point.
Additional information	: Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads). Notify authorities if product enters sewers or public waters.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1993	1993	1993	1993	1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (Solvent), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS			
14.3. Transport hazard class(es)				
3	3	3	3	3
				
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601, 640E
Limited quantities (ADR)	: 5L
Excepted quantities (ADR)	: E1

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel restriction code : D/E

14.6.2. Transport by sea

Special provisions (IMDG)	: 223, 274, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A

14.6.3. Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.6.4. Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 61, 64E
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Not subject to ADN	: No

14.6.5. Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640E
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions
NEW TERBEL BRUSH KILLER is not on the REACH Candidate List
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R10	Flammable
R22	Harmful if swallowed
R36/38	Irritating to eyes and skin
R37/38	Irritating to respiratory system and skin
R41	Risk of serious damage to eyes

NEW TERBEL BRUSH KILLER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product