



QUICK 5 EC

Sharda Europe b.v.b.a. PCS No.: 04904

Emulsifiable concentrate containing 50 g/L Quizalofop-p-ethyl

Selective herbicide for the post-emergent control of grass weeds in winter oilseed rape, sugar beet and fodder beet.



RISK AND SAFETY

INFORMATION

May be fatal if swallowed and enters airways.

Causes serious eye damage. May cause respiratory irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Very toxic to aquatic life with long lasting effects

- Keep out of reach of children.
- Avoid breathing vapours/spray.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Call a POISON CENTER or doctor/physician if you feel unwell.
- Do NOT induce vomiting.
- Store in a well ventilated place. Keep container tightly closed.
- Dispose of contents/container to a licenced hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.
- Do not contaminate water with the product or its container (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads).
- To protect aquatic organisms respect an unsprayed buffer zone of 10 m to surface water bodies when using ground crop sprayers.
- **To avoid risks to human health and the environment comply with the instructions for use.**



DANGER

PCS No. 04904

Registration holder: Sharda Europe bvba Jozef Mertenstraat 142,m 1702 Dilbeek, Belgium

Distributed by: Sharda Europe bvba Jozef Mertenstraat 142,m 1702 Dilbeek, Belgium

Tel. +32 349 41 18246 Emergency Tel: +91 22 6678 2800 (8.00-16.00h)

5 Litres

Protect from Frost

Batch No.
see container

24 hour emergency number - National Poisons Centre: +353 (0)1 809 2566 OR +353 (0)1 837 9964





Sharda Europe b.v.b.a.

QUICK 5 EC

QUICK 5% EC is a herbicide for the control of grass weeds in winter oilseed rape, sugar beet and fodder beet.

®Registered trade marks and logos of Sharda Worldwide Exports Pvt. Ltd.

PRECAUTIONS

If you feel unwell seek medical advice immediately (show the label where possible).

In case of accident, call the National Poisons Information Centre:

Tel: +353 (0)1 809 2566 or +353 (0)1 837 9964

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Protect from frost.

READ LABEL CAREFULLY BEFORE USE

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

Crop	Maximum individual dose	Maximum number of applications	Latest timing of application
Winter oilseed rape	2.5 L/ha	1	28 days pre-harvest
Sugar beet, fodder beet	2.5 L/ha	1	10 leaf stage

QUICK 5% EC is a herbicide for the control of grass weeds in winter oilseed rape, sugar beet and fodder beet.

INSTRUCTIONS FOR USE

For best results apply when weeds are actively growing. Weed foliage should be dry, but soil conditions moist to aid translocation up the weed. Weeds emerging after application will not be controlled.

Do not apply to crops under stress. Do not apply when frost is forecast. A period of at least two hours without rain should follow spraying otherwise weed control may be reduced.

Label Version: 01



Sharda Europe b.v.b.a.

QUICK 5 EC

The product can be applied once in the crop. To avoid occurrence of resistance, do not apply this product or any other product containing an ACCase inhibitor herbicide in sequence without interrupted treatment with another herbicide with a different mode of action. Use only as part of a resistance management strategy that includes cultural methods of control and does not use ACCase inhibitors as the sole chemical method of grass-weed control.

Avoid drift onto plants outside the target area due to risk of damage. Cereals and grasses are particularly sensitive to the product.

Weeds Controlled-

Annual grasses (up to fully tillered stage): 1.0 l/ha

Volunteer cereals (up to fully tillered stage): 1.5 l/ha

Perennial grasses (up to to first node detectable stage): 2.5 l/ha

Crop sensitivity: For advice on crop sensitivity and replacement after crop failure, consult with distributor.

Resistance

To prevent resistance always follow label recommendations and monitor fields regularly for any signs of poor control. Use herbicides with different modes of action.

Application

Apply the recommended dose in 200 – 300 litres/ha water. Use the higher rate where crop and or/weeds are dense. Good coverage of weeds is essential for good control. Apply as a FINE or MEDIUM quality spray. Apply from the expanded cotyledon stage of the crop and before the crop covers the larger weeds.

<u>Weeds</u>	<u>Dose</u>
Annual grasses (2 leaf to fully tillered stage).....	0.7 – 1 l/ha
Volunteer cereals (2 leaf to fully tillered stage).....	1 – 1.5 l/ha
Perennial grasses (4-6 leaves to first node detectable stage).....	2 – 2.5 l/ha



Sharda Europe b.v.b.a.

QUICK 5 EC

The application dose is chosen according to the growth stage of the grass weeds. If most of the grasses are in the tillering stage, it is necessary to choose a higher threshold dose.

Application can be in sequence with other herbicides. Please observe a 14 day application interval when applying in sequence.

Following crops may be grown without limitation. Plough the land before seeding of alternative crops. Any dicotyledonous crop may be grown as the alternate crop after a 5 week period following application of the product. Do not grow cereals or grasses on the treated field within 18 weeks of product application.

MIXING, APPLICATION AND CLEANING

For professional use only.

For use by tractor mounted/trailed sprayer only.

Never prepare more spray solution than required.

Thoroughly shake pack before use.

When preparing the mixture, half fill the tank with clean water and start the agitation.

Add **QUICK 5% EC** in the tank under agitation and then fill the tank with water. Continue agitation until spraying is completed.

Avoid spillage. In case of spill, remove spilled clothes and wash, skin immediately.

Clean equipment immediately after use with a spray tank cleaner.

Empty container and rinse with an integrated pressure rinsing device or manually rinsing three times.